



Asia 220V 60Hz 2020

mabe

When your home works,
everything works.



mabe history

Mabe was founded in Mexico in 1946 by Egon Mabardi and Francisco Berrondo. The name of the company comes from the first two letters of their names. With a history of over 70 years and 27,000 employees, the company has become one of the largest employers of Mexico. Mabe is now one of the largest manufacturers of large household appliances such as refrigerators, stoves and washing machines in North and South America.

In 1987 Mabe signed a strategic alliance with General Electric Appliances (GE) to work together on the development and production of major household appliances. And as of 2000, almost all No Frost refrigerators including Side by Side, Top Mounts and Bottom freezers are manufactured by Mabe Mexico and distributed for the US, Middle East and European markets.


The Mabardi and Berrondo families are still the majority owners and are very active in the company.



mabe world

mabe has developed a new line of household appliances with perfect harmony between technology and esthetics. Their innovative functions and design will ensure that the even the smallest detail make a great change in your home. **Find out more about them.**





Contents

Cooling

6	MEM30VH
7	RMS1951BPRX
8	FMM
9	MAV
10	FMM500
11	FMM420
12	FMM400
13	FMM200
14	FMM140
15	MWV045FA

Cooking

18	MEI3070
19	MEI2570
20	MEI2340
21	MEI2030

Laundry

32	CLME77014
33	LMA79005WBFU
34	SME47N8XSBBT
35	SME26N5XNBTT1
36	WMA07IXESXS
37	WMA10IXESXS
38	WMA06DXESXS
39	WMA07DXESXS
40	LMD1123PBBP
41	LMD9023PBBP
42	LMD7023PBBP

Complements

46	MMI09
47	MMI12
48	MMI18
49	MMI24
50	MEI
52	MEV
53	MEE
54	MEE

io mabe	
26	ORE24CH
27	ORE24CG
28	ORG52DF



Freshness
perceived in
every dish.

Cooling



MEM30VH Side By Side
840 L / 30 cu.ft. commercial capacity

Cooling

- Inverter technology
- R134a refrigerant
- Ice and water dispenser
- Ultraflow-100
- Refreshment center
- External controls
- Custom Cool technology system
- Precise fill
- LED light

Dimensions (cm)
H 175.9 W 90.9 D 91.5
Units per container (40HQ)
24

Models
MEM30VHDCSS
MEM30VHDCWW:
Shuko plug 220V 50-60Hz

● Stainless Steel ○ White



Commercial capacity (L / cu.ft.)	840 L / 30 cu.ft.
Certification	ISO / IEC
Energy Class	A+
Refrigerant	R134
Climate Class	T
Controls	External
Functions	Temperature sensors / turbo cool / Child Lock / energy saver / precised fill / custom cool / quick ice / Door alarm
Water dispenser	Yes
Water filter	Yes
Refreshment center	Yes
Ice dispenser	Yes
FRESH FOOD COMPARTMENT	
Cooling system	Long tower
Shelves	3 adjustable
Vegetable crisper	1
Vegetable crisper lid	Yes, tempered glass
Meat / deli pan	Yes and custom cool drawer
Door bins	3
Beverage can rack	Yes
FREEZER COMPARTMENT	
Shelves	2 adjustable
Baskets	4
Drawers	No
Door bins	3 adjustable
Ice factory	Yes



*Pictures for reference. Characteristics and images may vary without previous notice.

RMS1951BPRX Top Mount No Frost
510 L / 19 cu.ft. commercial capacity

Cooling

- Smart Fill Ice Factory
- Express chill zone
- External LED controls
- Perfect Flow
- Energy saver

Dimensions (cm)
H 187.8 W 74.33 D 72.2

Units per container (40HQ)
56

Models
RMS1951BPRX0:
Phi plug 220V 60Hz

● Stainless Steel



Commercial capacity (L / cu.ft.)	510 L / 19 cu.ft.
Certification	ANCE
Energy Class	A
Refrigerant	R134
Climate Class	T
Controls	External
Functions	Temperature control / Express Chill / Child Lock / Vacations / Door alarm / Smart Fill Ice Factory
Water dispenser	No
Water filter	No
Refreshment center	Yes
Ice dispenser	No
FRESH FOOD COMPARTMENT	
Cooling system	Smart Fresh
Shelves	2 adjustable
Vegetable crisper	1
Vegetable crisper lid	1
Meat / deli pan	Yes
Door bins	4
Beverage can rack	Smart Station (Home Bar)
FREEZER COMPARTMENT	
Shelves	2
Baskets	0
Drawers	Express Chill Zone
Door bins	2
Ice factory	Yes



*Pictures for reference. Characteristics and images may vary without previous notice.

FMM Upright Freezer
195L - 6.5 cu.ft / 270L - 9 cu.ft
commercial capacity

Cooling

- Defrost function
- T - climate class
- Casters
- Wire shelves
- R134a refrigerant

Dimensions (cm)
H 845 W 1100 D 745

Units per container (40HQ) 89

Models
FMM300HEWWX1
Phi plug p 220V 60Hz

○ White



Commercial capacity (L / cu.ft.)	195 l - 6.5 cu.ft. 270 - 9 cu.ft.
Star rating	4
Gas type	R134a
Frost / no frost	Defrost
Temp. Adjustable	Yes
Door hinge	Yes
Reversible door hinge	Yes
Ice maker	Yes
Adjustable foots	Yes
Roller / castors	Yes
Shelve type	Wire
Freezing temperature rating	-18~ -24°C
Energy consumption (Watts / Hour / Day)	1.34 (FMM200) 1.33 (FMM300)
Climate clasification	T



*Pictures for reference. Characteristics and images may vary without previous notice.

MAV Compact
2 cu.ft - 41L / 3cu.ft - 87L
commercial capacity

Cooling


- Manual defrost
- ST climate class
- Interior light (3cu.ft)
- Lock and key (3cu.ft)

Dimensions (cm)
MAV2BAERSL H 49.3 W 47.4 D 44.6
MAV3BAERSL H 84.9 W 47.4 D 44.6

Units per container (40HQ)
586 / 346

Models
MAV2BAERSL
MAV3BAERSL

● Silver



Commercial capacity (L / cu.ft.)	2 cu.ft - 41 l / 3 cu.ft - 87 l
Climate class	ST
Rated power input (W)	65W
Rated current (A)	0.61
Energy grade	A+/A
Deforst type	Defrost
With interior light	Yes (3cu.ft)
Lamp power (W)	10w (3cu.ft)
Reversible door	Yes
Adjustable feet	Yes
Handle(recessed/grip)	Recessed
Lock & Key	Yes (3cu.ft)
Door balcony No./material)	2
Crisper (No. / material)	0/1
Crisper Cover (No. /material)	0/1



*Pictures for reference. Characteristics and images may vary without previous notice.

Cooling

FMM500 Chest Freezer 519 L

519 L / 18.3 cu.ft. commercial capacity

- Horizontal configuration
- Dual Function
- Pressed white plate
- Plastic Basket (except 13 cu.ft.)
- T Class
- Interior LED light
- Door lock and key
- Easy rolling wheels
- Defrost drain

Dimensions (cm)
H 84.5 W 165.0 D 74.5

Units per container (40HQ)
61

Models
FMM500HEWWX1
Phil flat pin 220V 60Hz

☐ White



Commercial capacity (L / cu.ft.)	519 L / 18.3 cu.ft.
Certification	CB
Controls	Mechanical
Refrigerant	R134a
Defrost drain	Yes
External light indicator	Yes
Handle	Yes
Interior light	LED
Safety lock & key	Yes
Inner sliding glass door	No



**Pictures for reference. Characteristics and images may vary without previous notice.*

Cooling

FMM420 Chest Freezer 429 L

429 L / 15 cu.ft. commercial capacity

- Horizontal configuration
- Dual Function
- Pressed white plate
- Plastic Basket (except 13 cu.ft.)
- T Class
- Interior LED light
- Door lock and key
- Easy rolling wheels
- Defrost drain

Dimensions (cm)
H 84.5 W 141 D 74.5

Units per container (40HQ)
71

Models
FMM420HEWWX1
Phil flat pin 220V 60Hz

☐ White



Commercial capacity (L / cu.ft.)	429 L / 15 cu.ft.
Certification	CB
Controls	Mechanical
Refrigerant	R134a
Defrost drain	Yes
External light indicator	Yes
Handle	Yes
Interior light	LED
Safety lock & key	Yes
Inner sliding glass door	No



**Pictures for reference. Characteristics and images may vary without previous notice.*

FMM400 Chest Freezer 379 l

379 L / 13.4 cu.ft. commercial capacity

Cooling

- Horizontal configuration
- Dual Function
- Pressed white plate
- Plastic Basket (except 13 cu.ft.)
- T Class
- Interior LED light
- Door lock and key
- Easy rolling wheels
- Defrost drain

Dimensions (cm)
H 84.5 W 124 D 74.5

Units per container (40HQ)
80

Models
FMM400HEWWX1
Phil flat pin 220V 60Hz

White



Commercial capacity (L / cu.ft.)	379 L / 13.4 cu.ft.
Certification	CB
Controls	Mechanical
Refrigerant	R134a
Defrost drain	Yes
External light indicator	Yes
Handle	Yes
Interior light	LED
Safety lock & key	Yes
Inner sliding glass door	No



*Pictures for reference. Characteristics and images may vary without previous notice.

FMM200 Chest Freezer 198 l

198 L / 7 cu.ft. commercial capacity

Cooling

- Horizontal configuration
- Dual Function
- Pressed white plate
- Plastic Basket (except 13 cu.ft.)
- T Class
- Interior LED light
- Door lock and key
- Easy rolling wheels
- Defrost drain

Dimensions (cm)
H 84.5 W 94.0 D 55

Units per container (40HQ)
142

Models
FMM200HEWWX1
Phil flat pin 220V 60Hz

White



Commercial capacity (L / cu.ft.)	198 L / 7 cu.ft.
Certification	CB
Controls	Mechanical
Refrigerant	R134a
Defrost drain	Yes
External light indicator	Yes
Handle	Yes
Interior light	LED
Safety lock & key	Yes
Inner sliding glass door	No



*Pictures for reference. Characteristics and images may vary without previous notice.

FMM140 Chest Freezer 142 l

142 l / 5 cu ft. commercial capacity

Cooling

- Horizontal configuration
- Dual Function
- Pressed white plate
- Plastic Basket (except 13 cu.ft.)
- T Class
- Interior LED light
- Door lock and key
- Easy rolling wheels
- Defrost drain

Dimensions (cm)
H 84.5 W 72.0 D 55

Units per container (40HQ)
181

Models
FMM140HEWWX1
Phil flat pin 220V 60Hz

White



Commercial capacity (L / cu.ft.)	142 L / 5 cu ft.
Certification	CB
Controls	Mechanical
Refrigerant	R134a
Defrost drain	Yes
External light indicator	Yes
Handle	Yes
Interior light	LED
Safety lock & key	Yes
Inner sliding glass door	No



*Pictures for reference. Characteristics and images may vary without previous notice.

MWV045FA 44 Bottle Wine Chiller

133L / 44 bottles commercial capacity

Cooling

- Black case with SS door frame and handle
- Wooden shelves
- R134a refrigerant
- ST class
- Reversible door

Dimensions (cm)
H 82.6 W 52.3 D 58.6

Units per container (40HQ)
216

Models
MWV045FAERBS
Japanese plug 120V 60Hz

Stainless steel



Commercial capacity (L / cu.ft.)	133 L / 4.5 cu.ft.
Defrost type	N/A
Refrigerant gas	R134a
Controls location	Front
Controls type	Electric
Temperature range	7°C - 18°C
Controls display	LED
Internal light	LED
Bottle capacity	44 bottles
Door	Glass with Stainless Steel trim
Shelves	4 Wooden shelves
Handle	Stainless Steel




*Pictures for reference. Characteristics and images may vary without previous notice.



We achieve the
best balance
between speed
and efficiency.

Cooking



Cooking

MEI3070 Microwave Oven

30 L / 1.1 cu.ft Commercial capacity

- Microwave output power: 900W
- LED display
- Auto menus
- Electronic touch
- Grill function
- Combination cook
- Time cook
- Defrost option
- Express cooking
- End cooking signal
- Metal grill rack

Dimensions (cm)
H 30 W 53.9 D 40.7

Units per container (40HQ)
640

Models
MEI3070DVS1
Phil 220V 60Hz

Stainless steel in silver



Commercial capacity	30 L / 1.1 cu.ft
Display	LED
Auto menus	Yes
Type of control	Electronic touch
Grill	Yes
Power levels	10
Child lock	Yes
Glass turntable	Yes
End of cooking signal	Yes
Door opening	Push botton
Digital clock	Yes
Timer	Yes
Timer cook Yes	Yes
Timer defrost Yes	Yes
Auto defrost Yes	Yes
Preset start	Yes
Memory cooking	Yes



**Pictures for reference. Characteristics and images may vary without previous notice.*

Cooking

MEI2570 Microwave Oven

25 L / 0.88 cu.ft Commercial capacity

- Microwave output power: 900W
- LED display
- Auto menus
- 10 Power levels
- Electronic touch
- Grill function
- Combination cook
- Time cook
- Express cooking
- End cooking signal

Dimensions (cm)
H 28.1 W 48.3 D 35.6

Units per container (40HQ)
903

Models
MEI2570DVSB
Phil 220V 60Hz

Stainless steel in black



Commercial capacity	25 L / 0.88 cu.ft
Display	LED
Auto menus	Yes
Type of control	Electronic touch
Grill	Yes
Power levels	10
Child lock	Yes
Glass turntable	Yes
End of cooking signal	Yes
Door opening	Push botton
Digital clock	Yes
Timer	Yes
Timer cook	Yes
Timer defrost	Yes
Auto defrost	Yes
Preset start	Yes
Memory cooking	Yes



**Pictures for reference. Characteristics and images may vary without previous notice.*

MEI2340 Microwave Oven
23 L / 0.81 cu.ft Commercial capacity

Cooking

- Microwave output power: 800W
- LED display
- Push-button open
- Auto menus
- 10 Power levels
- Digital control
- Time cook
- Defrost option
- Express cooking
- End cooking signalk

Dimensions (cm)
H 29.3 W 48.5 D 41.0

Units per container (40HQ)
975

Models
MEI2340DVSL
Phil 220V 60Hz

● Silver



Commercial capacity	23 L / 0.81 cu.ft
Display	LED
Auto menus	Yes
Type of control	Digital
Child lock	Yes
Glass turntable	Yes
End of cooking signal	Yes
Door opening	Push botton
Digital clock	Yes
Timer	Yes
Timer cook	Yes
Timer defrost	Yes
Auto defrost	Yes
Preset start	Yes
Memory cooking	Yes



*Pictures for reference. Characteristics and images may vary without previous notice.

MEI2030 Microwave Oven
20 L / 0.7 cu.ft Commercial capacity

Cooking

- Microwave Output Power: 700W
- 5 Power levels
- Mechanical control
- End cooking signal
- Push-button open

Dimensions (cm)
H 25.8 W 43.9 D 33.5

Units per container (40HQ)
1403

Models
MEI2030DVSL
Phil 220V 60Hz

● Silver



Commercial capacity	20 L / 0.7 cu.ft
Display	No
Auto menus	No
Type of control	Mechanical
Child lock	No
Glass turntable	Yes
End of cooking signal	Yes
Door opening	Push botton
Digital clock	No
Timer	Yes
Timer cook	No
Timer defrost	No
Auto defrost	No
Preset start	No
Memory cooking	No



*Pictures for reference. Characteristics and images may vary without previous notice.

io mabe
you have it all





Everything is
easier when you
have a design
that charms.

Cooling



Cooling

ORE24CH

Side By Side

666 L / 24 cu.ft. commercial capacity

- Inverter Technology
- A+ Energy efficiency
- Refreshment center
- External controls
- Ice and water dispenser
- R600a refrigerant
- LED light

Dimensions (cm)
H 176.6 W 90.8 D 73.0

Units per container (40HQ)
28

Models
ORE24CHHFSS:
Shuko plug 220-240V 50-60 Hz

● Stainless Steel



Commercial capacity (L / cu.ft.)	666 L / 24 cu.ft.
Certification	CE / IEC
Energy Class	A+
Refrigerant	R600
Climate Class	T
Controls	External
Functions	Temperature Control / Water / Crushed / Cubed / Door Alarm / Light / Control lock
Water dispenser	Yes
Water filter	Yes
Refreshment center	Yes
Ice dispenser	Yes
FRESH FOOD COMPARTMENT	
Cooling system	Short Tower
Shelves	3
Vegetable crisper	2
Vegetable crisper lid	Yes, tempered glass
Meat / deli pan	No
Door bins	3 adjustable
Beverage can rack	Yes
FREEZER COMPARTMENT	
Shelves	3
Baskets	2
Drawers	0
Door bins	4 adjustable
Ice factory	Yes



*Pictures for reference. Characteristics and images may vary without previous notice.

Cooling

ORE24CG

Side By Side

666 L / 24 cu.ft. commercial capacity

- Inverter Technology
- A+ Energy efficiency
- Refreshment center
- External controls
- Ice and water dispenser
- R600a refrigerant
- LED light

Dimensions (cm)
H 176.6 W 90.8 D 73.0

Units per container (40HQ):
28

Models
ORE24CGFFSS
Shuko plug 220-240V 50-60Hz

● Stainless Steel



Commercial capacity (L / cu.ft.)	666 L / 24 cu.ft.
Certification	CE / IEC
Energy Class	A+
Refrigerant	R600
Climate Class	T
Controls	External
Functions	Temperature Control / Water / Crushed / Cubed / Door Alarm / Light / Control lock
Water dispenser	Yes
Water filter	Yes
Refreshment center	No
Ice dispenser	Yes
FRESH FOOD COMPARTMENT	
Cooling system	Short Tower
Shelves	3
Vegetable crisper	2
Vegetable crisper lid	Yes, tempered glass
Meat / deli pan	No
Door bins	4
Beverage can rack	No
FREEZER COMPARTMENT	
Shelves	3 adjustable
Baskets	2
Drawers	0
Door bins	4 adjustable
Ice factory	Yes



*Pictures for reference. Characteristics and images may vary without previous notice.

Cooling

ORGS2DB Side by Side

643 L / 22 cu.ft. commercial capacity

▪ Inverter Technology

▪ A+ Energy efficiency

▪ R600a refrigerant

▪ Internal controls

▪ LED Lighting

Dimensions (cm)

H 176.6 W 91.0 D 76.2

Units per container (40HQ)

47

Models

ORGS2DBHFSS

Shuko plug 220-240V 50-60 Hz

Stainless Steel

Commercial capacity (L / cu.ft.)	643 L / 22 cu.ft.
Certification	CE / IEC
Energy Class	A+
Refrigerant	R600
Climate Class	T
Controls	Internal
Functions	Set point
Water dispenser	No
Water filter	No
Refreshment center	No
Ice dispenser	No

FRESH FOOD COMPARTMENT	
Cooling system	Short Tower
Shelves	3
Vegetable crisper	2
Vegetable crisper lid	Yes, tempered glass
Meat / deli pan	No
Door bins	4
Beverage can rack	No

FREEZER COMPARTMENT	
Shelves	4
Baskets	0
Drawers	2
Door bins	6
Ice factory	No

*Pictures for reference. Characteristics and images may vary without previous notice.

28



Perfect
washing
every day.

Laundry



CLME77014 Laundry Center

7 kg / 6 cu.ft. commercial capacity

- Laundry
- WASHER FEATURES:

 - Controls: Wash, spin, rinse, lid lock
 - 7 Washer cycles
 - 5 Water temperatures
 - 5 Water levels
 - Stainles steel tub
 - Infuser washer system
 - New SASO certification

DRYER FEATURES:

 - 4 Drying cycles
 - 4 Temperature levels
 - Electric power

Dimensions (cm)

H 192.0 W 68.0 D 78.3

Units per container (40HQ)

42

Models

CLME77014BFU0:

Terminal block 220V-60Hz

White



*Pictures for reference. Characteristics and images may vary without previous notice.

New Generation



Certification	New SASO / G-Mark
WASHER FEATURES	
Commercial capacity	7 kg
Status indicator	Yes
Lid lock	Yes
Temperature levels	5
Water levels	Adaptive fill / + 4 levels
Tub	Stainles Steel
Commercial washing system	Infuser
Bleach dispenser	Yes
End of cycle signal	Yes
Wash combinations	1
DRYER FEATURES	
Commercial capacity	6 cu.ft.
Drum	Painted steel
Drying cycles	4
Power	Electric
Temperature levels	4

LMA79005WBFU Top Load

9 kg / 109 lts commercial capacity

- Laundry
- 11 automatic cycles
 - Smart laundry paterns
 - Ultra-highgloss Stainless Steel basket
 - Autoclean with alarm
 - Express Wash (20min)
 - LED Cycle indicator
 - Blackout recovery
 - Delay start
 - Special manual cycles
 - Soft close lid smoked

Dimensions (cm)

H 118 W 72 D 69

Units per container (40HQ)

96

Models

LMA79005WBFU0:

UK plug 220-60Hz

White



*Pictures for reference. Characteristics and images may vary without previous notice.

New Generation



Commercial capacity	9 kg / 109 lts
Certification	New SASO / IEC /CB / G-Mark
Digital Display	No
Start / Pause button	Yes
Delay start button	Yes
Lid Lock	Yes
Automatic wash cycles	11
Water levels	adaptive fill
Temperature levels	6
Load levels	5 + (Automatic)
Spin speeds (time)	4 + (Automatic)
Commercial washing system	Infusor
Tub	High gloss stainless steel
Dispenser	Gravity - rear drawer

SME47N8XSBBT Dryer
7.2 cu.ft. commercial capacity

Laundry

- Alcosta Drum
- High rust resistance
- Long exhaust vent (36m)
- Large lint filter
- XL Door
- LED light

Dimensions (cm)
H 110 W 68.8 D 75

Units per container (40HQ)
96

Models
SME47N8XSBBT1
Terminal block 220-240V 60Hz

○ White



Commercial capacity	7.2 cu.ft.
Certification	IEC CB / SASO
Door	Glass smoke XL
Drum	Alcosta
Light	LED
Lint filter	Large
Humidity sensor	Yes
Reversible door	Yes
Temperature levels	4
Power	Electric 1 Phase



New Generation

SME26N5XNBBT1 Dryer
6.2 cu.ft. commercial capacity

Laundry

- Alcosta Drum
- High rust resistance
- LED light
- Large lint filter
- XL Door

Dimensions (cm)
H 110 W 68.8 D 68

Units per container (40HQ)
96

Models
SME26N5XNBBT1:
Electric Single Phase 220-240V/50 Hz

○ White



Commercial capacity	6.2 cu.ft.
Cycle Dial	Timer
Knobs/Buttons	Cycle Timer / Knob - Temp Start button
End of cycle indication	No
Dryer cycles	3
Casuals	More/Optimum/Less
Cottons	More/Optimum/Less
Quick Fluff	10 min
Sensor Dry	No
Temperature levels	3
Timed Dry	10-80 by 10's
Adjust Time (Up/Down)	with timer
Wrinkle Prevent (Button)	On Cycle dial



New Generation

*Pictures for reference. Characteristics and images may vary without previous notice.

*Pictures for reference. Characteristics and images may vary without previous notice.

WMA07IXESXS Asian Auto Series
7 kg / 15.4 Lb. commercial capacity

Laundry

- Direct Drive Inverter - more than 30% energy saving
- Fuzzy Logic
- Air Dry
- Stainless Steel Drum
- Pump Type
- Auto unbalancing detection
- Dispenser

Dimensions (cm)
H 90.5 W 52 D 56

Units per container (40HQ)
196

Models
WMA07IXESXS
Phi flat pin plug 220V 60Hz

● Moon Silver



Commercial capacity (Kg/Lb)	7 kg / 15.4 Lb.
Digital Display	Yes
No. of program	8
Type of water level selector	electronic
Water inlet selector	Hot/ Cold
Wash timer	40-50 mins
Spin timer	-
Transpaente lid	Glass
Rat - proof basement	Yes
Rust-proof body	zinc-coated steel
Commercial washing system	pulsator type
Tub	Stainless Steel Drum
Dispenser	Yes
Magic filter	Yes
Air Drying	Yes



New Generation

WMA10IXESXS Asian Auto Series
10 kg / 22 Lb. commercial capacity

Laundry

- Direct Drive Inverter - more than 30% energy saving
- Fuzzy Logic
- Air Dry
- Stainless Steel Drum
- Pump Type
- Auto unbalancing detection
- Dispenser

Dimensions (cm)
H 97 W 58 D 63

Units per container (40HQ)
108

Models
WMA10IXESXS
Phi flat pin plug 220V 60Hz

● Moon Silver



Commercial capacity (Kg/Lb)	10 kg/ 22 Lb.
Digital Display	Yes
No. of program	8
Type of water level selector	electronic
Water inlet selector	Hot/ Cold
Wash timer	55 mins
Transpaente lid	Glass
Rat - proof basement	Yes
Rust-proof body	zinc-coated steel
Temparature levels	-
Commercial washing system	pulsator type
Tub	Stainless Steel Drum
Dispenser	Yes
Magic filter	Yes
Air Drying	Yes



New Generation

*Pictures for reference. Characteristics and images may vary without previous notice.

*Pictures for reference. Characteristics and images may vary without previous notice.

WMA06DXESXS Asian Auto Series
6 kg / 13.2 Lb. commercial capacity

Laundry

- Direct Drive Inverter - more than 30% energy saving
- Fuzzy Logic
- Air Dry
- Stainless Steel Drum
- Pump Type
- Auto unbalancing detection
- Dispenser

Dimensions (cm)
H 90.5 W 52 D 56

Units per container (40HQ)
196

Models
WMA06DXESXS
Phi flat pin plug 220V 60Hz

● Moon Silver



Commercial capacity (Kg/Lb)	6 kg/ 13.2 Lb
Digital Display	Yes
No. of program	8
Type of water level selector	electronic
Water inlet selector	Hot/ Cold
Wash timer	48 mins
Spin timer	-
Transpaente lid	Glass
Rat - proof basement	Yes
Rust-proof body	zinc-coated steel
Temparature levels	-
Commercial washing system	pulsator type
Tub	Stainless Steel Drum
Dispenser	Yes
Magic filter	Yes
Air Drying	Yes



**Pictures for reference. Characteristics and images may vary without previous notice.*

WMA07DXESXS Asian Auto Series
7 kg / 15.4 Lb. commercial capacity

Laundry

- Direct Drive Inverter - more than 30% energy saving
- Fuzzy Logic
- Air Dry
- Stainless Steel Drum
- Pump Type
- Auto unbalancing detection
- Dispenser

Dimensions (cm)
H 90.5 W 52 D 56

Units per container (40HQ)
196

Models
WMA07DXESXS
Phi flat pin plug 220V 60Hz

● Moon Silver



Commercial capacity (Kg/Lb)	7 kg / 15.4 Lb.
Digital Display	Yes
No. of program	8
Type of water level selector	electronic
Water inlet selector	Hot/ Cold
Wash timer	48 mins
Spin timer	-
Transpaente lid	Glass
Rat - proof basement	Yes
Rust-proof body	zinc-coated steel
Temparature levels	-
Commercial washing system	pulsator type
Tub	Stainless Steel Drum
Dispenser	Yes
Magic filter	Yes
Air Drying	Yes



**Pictures for reference. Characteristics and images may vary without previous notice.*

LMD1123PBBP Twin tub
11 Kg commercial capacity

Laundry

- Temperature levels ≤ 50° C
- Interior spin tub lid
- Spin stainless steel
- Spin dryer bottom color
- Propel Washing System

Dimensions (cm)
H 101 W 86.5 D 50

Units per container (40HQ)
136

Models
LMD1123PBBP0:
Phi Plug 220V-230V/60HZ

○ White



Commercial Capacity	11 kg
Temperature levels	≤ 50° C
Interior spin tub lid	Y
Spin stainless steel	Yes
Spin dryer bottom color	Gray
Child Saftey Lock	N
Overflow Lock	N
Number of Cycles	2
Washing System	Propel
Soaking Function	Y
Speeds	1600±100
Control Panel Type	Timer
Timer 0 - 15 min	0-15
Spin Timer 0-5 min	0-5
Deflecting water flow	Y
Drain Knob	Y
Water Levels	3
Removable Fluff	Y
Drain House	Without Pump
Water inlet hose qty	Single
Switch handle for water inlet	Yes
Chromed rim dryer	Yes
Hinges	Yes
Motor type	Alumium motor



*Pictures for reference. Characteristics and images may vary without previous notice.

LMD9023PBBP Twin tub
9 kg commercial capacity

Laundry

- Temperature levels ≤ 50
- Interior spin tub lid
- Spin stainless steel
- Spin dryer bottom color
- Propel Washing System

Dimensions (cm)
H 100 W 82.5 D 47

Units per container (40HQ)
140

Models
LMD9023PBBP0:
Phi Plug 220V-230V/60HZ

○ White



Commercial Capacity	9 kg
Temperature levels	≤ 50° C
Interior spin tub lid	Y
Spin stainless steel	Yes
Spin dryer bottom color	Gray
Child Saftey Lock	N
Overflow Lock	N
Number of Cycles	2
Washing System	Propel
Soaking Function	Y
Speeds	1600±100
Control Panel Type	Timer
Timer 0 - 15 min	0-15
Spin Timer 0-5 min	0-5
Deflecting water flow	Y
Drain Knob	Y
Water Levels	3
Removable Fluff	Y
Drain House	Without Pump
Water inlet hose qty	Single
Switch handle for water inlet	Yes
Chromed rim dryer	Yes
Hinges	Yes
Motor type	Alumium motor



*Pictures for reference. Characteristics and images may vary without previous notice.

LMD7023PBBP Twin tub
7 Kg commercial capacity

Laundry

- Temperature levels ≤ 50° C
- Interior spin tub lid
- Spin stainless steel
- Spin dryer bottom color
- Propel Washing System

Dimensions (cm)
H 92 W 77.5 D 43.8

Units per container (40HQ)
189

Models
LMD7023PBBP:
Phi Plug 220V-230V/60HZ

☐ White



Commercial Capacity	7 Kg
Temperature levels	≤ 50° C
Interior spin tub lid	Y
Spin stainless steel	Yes
Spin dryer bottom color	Gray
Child Saftey Lock	N
Overflow Lock	N
Number of Cycles	2
Washing System	Propel
Soaking Function	Y
Speeds	1600±100
Control Panel Type	Timer
Timer 0 - 15 min	0-15
Spin Timer 0-5 min	0-5
Deflecting water flow	Yes
Drain Knob	Yes
Water Levels	3
Removable Fluff	Yes
Drain House	Without Pump
Water inlet hose qty	Single
Switch handle for water inlet	Yes
Chromed rim dryer	Yes
Hinges	Yes
Motor type	Alumium motor



**Pictures for reference. Characteristics and images may vary without previous notice.*



Enjoy a nice
environment
every day.



Complements

MMI09 Minisplits
9kbtus commercial capacity

Complements

- Temperature detection function (automatic)
- My temp Function
- Temperature Compensation
- Auto Restart Function
- Fast Cool Function
- Programmable-Timer (0-24 hrs)

Dimensions (cm)

H 20 W 75 D 28.5


Units per container (40HQ) 244

Models

MMI09CDBWCCAX8

Terminal block 220-230V 60Hz

○ White



Capacity	9kbtus
Type	Inverter
Gas	R410
Function	Cold
Noise level (High/Medium/Low)	44
Ventilator memory function (automatic when turning off the device)	Yes
Dehumidification Function	Yes
Auto Swing (up/down)	Yes
Emergency use mode (automatic in case of failure)	Yes
Box-components anti-flame	Yes
Auto defrost	Yes
Auto diagnostic function	Yes
Easy clean design	Yes
coating of the pipe	Blue Fin
CONTROL	
Control Type	Digital
Display	Led
LED Color	White
Remote Control	Yes
High density filter	Yes
Filter change alarm	Yes
Removable panel	Yes



*Pictures for reference. Characteristics and images may vary without previous notice.

MMI12 Minisplits
12kbtus commercial capacity

Complements

- Temperature detection function (automatic)
- My temp Function
- Temperature Compensation
- Auto Restart Function
- Fast Cool Function
- Programmable-Timer (0-24 hrs)

Dimensions (cm)

H 20 W 75 D 28.5


Units per container (40HQ) 244

Models

MMI12CDBWCCAX8

Terminal block 220-230V 60Hz

○ White



Capacity	12kbtus
Type	Inverter
Gas	R410
Function	Cold
Noise level (High/Medium/Low)	42
Ventilator memory function (automatic when turning off the device)	Yes
Dehumidification Function	Yes
Auto Swing (up/down)	Yes
Emergency use mode (automatic in case of failure)	Yes
Box-components anti-flame	Yes
Auto defrost	Yes
Auto diagnostic function	Yes
Easy clean design	Yes
coating of the pipe	Blue Fin
CONTROL	
Control Type	Digital
Display	Led
LED Color	White
Remote Control	Yes
High density filter	Yes
Filter change alarm	Yes
Removable panel	Yes



*Pictures for reference. Characteristics and images may vary without previous notice.

MMI18 Minisplits
18kbtus commercial capacity

Complements

- Temperature detection function (automatic)
- My temp Function
- Temperature Compensation
- Auto Restart Function
- Fast Cool Function
- Programmable-Timer (0-24 hrs)

Dimensions (cm)

H 22.5 W 90 D 31


Units per container (40HQ) 198

Models

MMI18CDBWCCAX8

Terminal block 220-230V 60Hz

○ White



Capacity	18kbtus
Type	Inverter
Gas	R410
Function	Cold
Noise level (High/Medium/Low)	45
Ventilator memory function (automatic when turning off the device)	Yes
Dehumidification Function	Yes
Auto Swing (up/down)	Yes
Emergency use mode (automatic in case of failure)	Yes
Box-components anti-flame	Yes
Auto defrost	Yes
Auto diagnostic function	Yes
Easy clean design	Yes
coating of the pipe	Blue Fin
CONTROL	
Control Type	Digital
Display	Led
LED Color	White
Remote Control	Yes
High density filter	Yes
Filter change alarm	Yes
Removable panel	Yes



*Pictures for reference. Characteristics and images may vary without previous notice.

MMI24 Minisplits
24kbtus commercial capacity

Complements

- Temperature detection function (automatic)
- My temp Function
- Temperature Compensation
- Auto Restart Function
- Fast Cool Function
- Programmable-Timer (0-24 hrs)

Dimensions (cm)

H 23.3 W 108.2 D 33


Units per container (40HQ) 152

Models

MMI24CDBWCCAX8

Terminal block 220-230V 60Hz

○ White



Capacity	24kbtus
Type	Inverter
Gas	R410
Function	Cold
Noise level (High/Medium/Low)	51
Ventilator memory function (automatic when turning off the device)	Yes
Dehumidification Function	Yes
Auto Swing (up/down)	Yes
Emergency use mode (automatic in case of failure)	Yes
Box-components anti-flame	Yes
Auto defrost	Yes
Auto diagnostic function	Yes
Easy clean design	Yes
coating of the pipe	Blue Fin
CONTROL	
Control Type	Digital
Display	Led
LED Color	White
Remote Control	Yes
High density filter	Yes
Filter change alarm	Yes
Removable panel	Yes



*Pictures for reference. Characteristics and images may vary without previous notice.

MEI Window Air conditioner (Inverter)
1.0 H.P./ 1.5 H.P./ 2.0 H.P./ 2.5 H.P.
commercial capacity

- Cool only
- Inverter Technology
- R-32 Refrigerant
- Blue fin coating

Dimensions (cm)

MEI09VR	H 37.5	W 56	D 70.8
MEI12VR	H 42.8	W 66	D 70
MEI18VR	H 42.8	W 66	D 80
MEI24VR	H 42.8	W 66	D 80

Units per container (40HQ)
312 / 230 / 195 / 195

Models

MEI09VR, MEI12VR, MEI18VR,
MEI24VR:
Phi plug 220V 60Hz

○ White



Commercial capacity (H.P.)	1 H.P. / 1.5 H.P. / 2.0 H.P. / 2.5H.P
Cooling capacity (kj / h) - cool	10200 <2910-11100> 14000 <3380-14900> 18700 <8600-19800> 23400 <9110-25200>
Climate rating	T-class
Refrigerant	R3 2
Swing	Yes (R/L)
Contol panel type	Electronic with remote control
Air ventilation	Side Discharge
Timer fan mode	Yes
Fan mode	Yes
Evaporator coating protection	Blue fin
Condensor corrosion protection	Blue fin

New Generation



*Pictures for reference. Characteristics and images may vary without previous notice.

MEV Window Air Conditioner

5 K / 7 K / 9 K / 12 K / 18 K commercial capacity

Complements

- Cool only
- Noise level
- Climate rating T1
- Evaporator Coating Protection
- Golden fin coating

Dimensions (cm)

MEV05VV	W 406	D 335	H 306
MEV07VV	W 450	D 535	H 346
MEV09VV	W 495	D 580	H 435
MEV12VV	W 600	D 560	H 380
MEV18VV	W 680	D 660	H 428

Units per container (40HQ)

1050 / 574 / 574 / 306 / 216

Models

MEV05VV / MEV07VV / MEV09VV
MEV12VV / MEV18VV

Phi plug 230V/ 60Hz

○ White



# of Fan Speeds	3(H/M/L)
Evaporator Coating Protection	Golden fin
Condensor Corrosion Protection	no
Auto Restart	yes
Low Voltage Startup	10%
Several Optional Filters)	additional cost needed
Filter Dirty Alarm	No
Memory	No
Auto Fan	No
Energy saving	No



*Pictures for reference. Characteristics and images may vary without previous notice.

New Generation

MEE Window Air Conditioner

9 K /12K /18K/ 24K BTU commercial capacity

Cooling

- Cool only
- Energy Star 3 (0.75 H.P. to 3.0H.P.)
- R-410a Refrigerant
- Mechanical control
- Blue fin coating

Dimensions (cm)

MEE09VV	W 450	D 535	H 346
MEE12VV	W 600	D 560	H 380
MEE18VV	W 600	D 645	H 455
MEE24VV	W 673	D 674	H 473

Units per container (40HQ)

574 / 306 / 270 / 225

Models

MEE09VV, MEE12VV, MEE18VV,
MEE24VV:

Phi plug 230V/ 60Hz

○ White



Cooling capacity (kj / h) - cool	9240 / 12660 / 18990 / 24000
Climate rating	T1
Refrigerant	R410A:350 / R410A:640 R410A:830 / R410A:1020
Swing	Yes (R/L) (MEE09VV & MEE12VV)
Contol panel type	Electronic
Air ventilation	Side Discharge
Timer fan mode	Yes/24hrs
Fan mode	Yes
Evaporator coating protection	Blue fin



*Pictures for reference. Characteristics and images may vary without previous notice.

MEE Window Air Conditioner
0.75 H.P. / 1 H.P. / 1.5 H.P. / 2.0 H.P. /
2.5 H.P. commercial capacity

- Cool only
- Energy Star 3
(0.75 H.P. to 3.0H.P.)
- R-410a Refrigerant
- Elecronic control with remote control
- Blue fin coating

Dimensions (cm)

MEE07VQ	H 35	W 45	D 58
MEE09VQ	H 37.5	W 56	D 61.8
MEE12VQ	H 37.5	W 56	D 66.8
MEE18VQ	H 42.8	W 66	D 70
MEE24VQ	H 42.8	W 66	D 77

Units per container (40HQ)

518 / 342 / 342 / 230 / 205

Models

MEE07VQ, MEE09VQ, MEE12VQ
MEE18VQ, MEE24VQ
Phi plug 220V 60Hz



White



Commercial capacity (H.P.)	0.75 H.P. / 1 H.P. / 1.5 H.P. / 2.0 H.P. / 2.5H.P
Cooling capacity (kj / h) - cool	7280 / 9860 / 12800 / 18600 / 24400
Climate rating	T-class
Refrigerant	R-410a
Swing	Yes (R/L)
Contol panel type	Electronic with remote control
Air ventilation	Side Discharge
Timer fan mode	Yes
Fan mode	Yes
Evaporator coating protection	Blue fin
Condensor corrosion protection	Blue fin

New Generation



*Pictures for reference. Characteristics and images may vary without previous notice.

mabe

When your home works,
everything works.

www.mabeinternational.com